Global Refinish Trading Center



We are the abrasive revolution



Global Refinish Trading Center Ltd is a producer and converter of abrasive discs, rolls, and belts, as well as foam rolls. This, in partnership with Changzhou Guanmeng Tools & Hardware Co. Ltd, one of the largest producers and converters in Asia. Our team is composed by powerful technicians and dedicated staff. We make sure that they are up to date with the technology by organizing masterclasses and seminars having as objective to provide high quality products in order to satisfy our customers.

Our factory is composed by 65.000 m2 of production and storage area, a new technical center and offices for our team. We are in conformity with ISO 9001:2015.

Our products are exported mainly to Europe from our central warehouse in the Netherlands. We also export to America, Australia and to Southeast Asia. Some of the biggest automotive paint companies have trusted us in producing their OEM/ODM product range.

Our offices and technical assistance are located in Cyprus, offering sales and support information in English, French, Flemish, German, Russian and Greek.





ABRASIVE SYSTEM



PURPLE ABRASIVES

B 3
PREMIUM LINE

Backing:

Polyester film

Grain:

Ceramic / Zirconium / Aluminium Oxide

Bonding:

Resin over resin

Coating:

Open

Color:

Purple

Application:

Automotive, maritime, aviation, wood, metal

Supplied in:

Disks and rolls

Grit Range:

P36 - P2000



Purple Ceramic Disk 75mm velcro



Purple Disk 150mm 15H



PRECUT LAZER PURPLE ROLLS VELCRO

70MM X 12MT

Excellent Cutting & Long Life

Avatar Film's premium grain and strong resin bond. Provide faster and sharper cutting performance and longer life than competitor's products.

Excellent Durability

Film Backing is very strong and durable. It does not tear, easily during sanding operation and is great for edges, corners and irregular shapes.

Perfect Sanding Surface

With uniform mineral coating on perfectly even surface, film works better than paper. The result is outstanding and perform. Finish without deep scratch marks.





PURPLE PREMIUM HANDBLOCK

- 70 x 125mm
- 70 x 200mm
- 70 x 400mm

MULTI-HOLE ASPIRATION

*Valve and adaptor included







Polyester film

Grain:

Aluminum oxide

Bonding:

Resin over resin

Coating:

Open

Color:

Grey

Application:

Automotive, maritime, aviation, wood, metal

Supplied in:


Disks and sheets

Grit Range:

P40 - P3000



Grey sheet 70 x 125mm **8H**



8H




Grey Disk 150mm 15H




Grey sheet 70 x 420mm **14H**



Grey Roll 115mm x 25mt



Grey sheet 115 x 230mm **10H**



GOLD PAPER ABRASIVES

02
PAPER LINE

Backing:

C-wt latex paper

Grain:

Aluminum oxide

Bonding:

Resin over resin

Coating:

Special coating against clogging and loading

Color:

Gold

Application:

Automotive, wood

Supplied in:

Disks and sheets

Grit Range:

P40 - P800



Gold sheet 70 x 125mm

8H



Gold sheet 70 x 420mm **14H**



Gold Disk 150mm 15H



Gold Roll 115mm x 25mt



Gold sheet 115 x 230mm **10H**



The Sandwox Speed Finishing Disc is a new revolution finishing product. It allows to dry sanding on the clear coat much faster than wet sanding. The super coating technology can provide great anti-clogged performance. The results are extremely uniform and even surface.

APPLICATIONS:

Ideal for auto body, fiberglass, plastics, composites, marine finishing and high gloss finishing.



GUM & TAR



ORANGE PEEL



PAINT RUNS



DIRT NIBS

75MM VELCRO & **150MM** VELCRO

Grit Range: P1000, P1500, P2000, P2500, P3000, P4000

STAR DISKS & MICRO BLOCK



STRUCTURE:

Grain: Silicon CarbideBacking: Latex PaperBonding: Special Resin


APPLICATIONS:

Sandpaper can be used for hand or machine sanding. Ideal for both wet and dry sanding.

Wet & dry sandpaper features silicon carbide abrasive mounted on flexible, waterproof paper is ideal for creating a consistent, smooth, refined finish. Each sheet is resin bonded onto a waterproof paper to make sure paper backing is flexible and soft. It is a good fit to your hand or machine. Its size 9x11 inch is great for cutting into different sizes to fit hand sanding or place on hand block. Sandpaper sheets can be used with water, varnish, shellac, lacquer, or oil. The grits are printed on the paper backing for an easy identification.

SANDING SHEETS

WET OR DRY





SILICON CARBIDE 230 X 280MM

ERAZER PAD 100MM X 20MM



ROLOC DISK & HOLDERS



Size: 50mm & 75mm





Size: 2" (45mm) & 3" (69mm)



BACKING PLATES VELCRO 148MM



04.150.01 Orbital multi air pad Medium Set: M8 & 5/16



04.150.02 Orbital multi air pad Soft Set: M8 & 5/16

INTERFACE PAD VELCRO



04.148.05Interface 148mm
5mm **Extra Soft**Special Velcro (soft)



04.148.10 Interface 148mm 10mm Extra Soft Special Velcro (soft)



04.148.15 Interface 148mm 10mm Extra Soft

SANDING BLOCK WITH ASPIRATION VELCRO

PURPLE MULTI HOLES PREMIUM HANDBLOCK



70mm x 125mt

70mm x 200mt

70mm x 400mt

RED MULTI HOLES HANDBLOCK




70mm x 125mt

70mm x 200mt

70mm x 400mt

YELLOW SANDING HANDBLOCK



150mm

66x122mm

70x198mm

POLISHING SYSTEM

POLISHING MACHINES

ROTARY POLISHER

DUAL ACTION POLISHER



Dual Action Polisher 15mm
Voltage:110V~220V/60HZ ~50HZ
Power:1150W No Load
Speed: 2000-4500rpm
Backing plate: 5"
Eccentric distance: 15mm



Dual Action Polisher 21mm
Voltage:110V~220V/60HZ ~50HZ
Power: 1150W No Load
Speed: 2000-4500rpm
Backing plate: 6"
Eccentric distance: 21mm

LIMITED EDITION 125MM



ROTARY POLISHER

Rated Input Power: 1150W No Load Speed: 1000-3500r/min

Backing Pad: M14

DUAL ACTION POLISHER

Rated Input Power: 710W No Load Speed: 2000-4200r/min Excentric distance: 15mm



POLISHING MACHINE 75MM

MAT0106



- Low Speed Sander
- 1/4" air connection
- Protection case
- 1pc Yellow Pad Heavy Cutting 80mm
- 1pc White Pad Polishing 80mm
- 1pc Black Pad Finishing 80mm
- Backing Pad 75mm

MINI POLISHER



MN01

Applications: Used for all difficult to reach parts of the car, such as wheel polishing, all kinds of coat paint, waxing, polishing and sealing glaze to clean and improve brightness. Can be used in pneumatic or electric polishing machines and its ideal for car detail polishing.

Special Features: Efficient cutting and polishing of the most difficult car oxidation layers and scratches, suitable for polishing coarse and small surfaces. Comes with different colored sponges, premium wool and sponge cushions that are flexible, washable and reusable. The self-adhesive backing allows you to change the pads in seconds.





3D ACA™ 500 x-tra cut compound™ is infused with alpha ceramic alumina™. Alpha ceramic alumina™ is a revolutionary new abrasive which has been constructed to provide lower heat, high speed leveling which will correct even the most challenging clearcoats and single stage paint. This precisely engineered compound delivers true paint perfection in the absolute shortest amount of time.

ACA™ 500 x-tra cut compound™ is extremely versatile. ACA™ 500 is aggressive enough tocorrect the hardest new ceramic clear coats and refined to the pointthat extremely soft clears are not over lacerated. It is easy to use, easy to clean-up, is sun friendly and contains "no" harmful solvents, kerosene or osha regulated crystalline silica. ACA 500 x-tra cut compound™ can be perfectly paired with either a wool or foam pad and used with a rotary buffer or dual action polisher.

3D ACA 520 FINISHING POLISH is the industry's fastest HOLO-GRAM FREE Finishing Polish with ALPHA CERAMIC ALUMINA. This revolutionary NEW WATER base, abrasive polish that has been constructed to provide high speed, low heat, hologram eliminating polishing for the most challenging clear coats and single stage paint.

ACA 520 FINISHING POLISH is also extremely versatile and contains "No" harmful Solvents, Kerosene or OSHA regulated CRYSTALLINE SILICA. ACA 520 quickly corrects any painted surface leaving a hologram-free, glass-like finish without the need of adding fillers, which eliminates the possibility of "dye-back." Fillers are added to hide small scratches that other polishes cannot remove. ACA 520 FINISHING POLISH easily removes every scratch left behind after the leveling the surface with 3D ACA 500 X-TRA CUT COMPOUND. ACA 520 water-based formula is extremely easy to use and easy to clean up, leaving the perfect finish the first time – and every time. Works best when applied in shaded areas but is also sun-friendly.

ACA SOLO TINES OF THE PROPERTY OF THE PROPERTY

520 Finishing Polish

- EASY TO USE
- EASY CLEAN-UP
- SUPERIOR FINISH
- NO FILLERS
- TRUE PAINT CORRECTION



CTBL3030

CLAY TOWEL Detailing Clay Size: 30x30cm



HP1000

HEAVY PAINT DEFECTLeveling Cream: 1Lt



FP1000

FINISHINGPolish Cream: 1Lt

PREMIUM CUBE FOAM PADS


HEAVY CUTTING




Heavy cutting
Cube foam
pad 75mm
Thickness: 25mm



Heavy cutting
Cube foam
pad 125mm
Thickness: 25mm







Polishing
Cube foam
pad 75mm
Thickness: 25mm



Polishing
Cube foam
pad 125mm
Thickness: 25mm



FINISHING



Finishing
Cube foam
pad 75mm
Thickness: 25mm



Finishing
Cube foam
pad 125mm
Thickness: 25mm



Cube foam pad 150mm
Thickness: 30mm



FOAM PADS 56MM - 80MM - 150MM

T20 POLISHING T40 MEDIUM-CUT T80 HEAVY-CU



Flat Foam pad Heavy Cut T80 56x10mm 80x25mm 150x30mm



Waffle Foam pad Heavy Cut T80 150x30mm



Diamond Foam pad Heavy Cut T80 150x30mm



Flat Foam pad Medium Cut T40 56x10mm 80x25mm 150x30mm



Waffle Foam pad Medium Cut T40 150x30mm



Diamond Foam pad Medium Cut T40 150x30mm



Flat Foam pad Polishing T20 56x10mm 80x25mm 150x30mm




Waffle Foam pad Polishing T20 150x30mm



Diamond Foam pad Polishing T20 150x30mm



Flat Foam pad Finishing T10 56x10mm 80x25mm 150x30mm



Waffle Foam pad Finishing T10 150x30mm



Diamond Foam pad Finishing T10 150x30mm

MASKING SYSTEM

CLEAR FILM

Electrostatic plastic film

• **Dimensions: MAS4150:** 4 x 150mt 10 micron box

MAS4300: 4 x 300mt 10 micron box



MAS0101



- High quality steel material.
- Convenient to dispense masking film.
- Easy to install and uninstall.
- Moves easily with its two wheels.
- Universal size for film.

- Color: Red Metal
- Outer length: 1130mm
- Inner length: 1080mm
- Width: 270mm
- Height: 300mm

CUTTING PLASTIC BLADE

MAS0100

- Special blade for films.
- It allows a controlled and safe cutting thanks to its holding slots.



CAR-BODY ADHESIVE TAPE 80°C

• Resists temperatures up to 80°C/180°F.

• High adhesion.

Size: MAS0318: 18mm x 45mt

MAS0336: 36mm x 45mt **MAS0348**: 48mm x 45mt





TRIM LIFTING TAPE 10MT

MAS0301

Precut to facilitate manual cutting.





FOAM TAPE

MAS0413

- Protection of door and bonnet outlines during the painting process.
- Easy/quick application.

Size: 13mm x 50mt

PRE-TAPED ADHESIVE FILM

Sizes:

MAS0660: 60cm x 22.5 Mt

MAS0690: 90cm x 22.5 Mt

MAS06120: 120cm x 22.5 Mt

MAS06180: 180cm x 22.5 Mt



SEAT COVERS

MAS0202

• For protection of the upholstery.

• Color: White Transparent.

• Dimension: 1300mm x 800mm

• Thickness: 15 Micron

• Box: 500 pcs



MAS0203

• Synthetic leather + magnet

• Dimension: 1100mm x 600mm



PAINT SYSTEM



CLEARCOAT HS

AC-200 Clear HS200 1000ml







HARDENER FOR CLEAR HS

ACH-201 Hardener HS Normal 500ml

ACH-202 Hardener HS Rapid 500ml



CLEARCOAT HS

AC-250 Clear HS200 5000ml



HARDENER FOR CLEAR HS

ACH-251 Hardener HS Normal 2500ml

ACH-252 Hardener HS Rapid 2500ml





THINNER

AT-4500 Universal Thinner 5000ml

AT-4000 Universal Thinner 1000ml





PRIMER

AP-2200 Filler Light Grey 2500ml

AP-2300 Filler Dark Grey 2500ml







HARDENER FOR PRIMER

APH-2011 Hardener for Primer AP-2200/ AP-2300 500ml



PRIMER

AP-2000 Filler Light Grey 840ml

AP-2100 Filler Dark Grey 840ml









HARDENER FOR PRIMER

APH-2010 Hardener for Primer AP-2000/ AP-2100

160ml



SPRAY GUNS



PSR4000

Type of feed: Gravity
Standard nozzle: 1.3mm
Operating Pressure: 2.0bar
Pattern width: 180-260mm
Air consumption: 4.1-4.5cfm
Paint Capacity: 500cc

PSH2000

Type of feed: Gravity
Standard nozzle: 0.8mm
Operating Pressure: 3.0~4.0bar
Pattern width: 110~160mm
Air consumption: 3.5~6.0cfm
Paint Capacity: 125cc



PSH827D

Type of feed: Gravity
Standard nozzle: 1.7mm
Operating Pressure: 2.0~3.5bar
Pattern width: 180~250mm
Air consumption: 42~7.1cfm
Paint Capacity: 600cc

PSH827B

Type of feed: Gravity
Standard nozzle: 1.4mm
Operating Pressure: 2.0~3.5bar
Pattern width: 180~250mm
Air consumption: 42~7.1cfm
Paint Capacity: 600cc

ACCESSORIES



MIXING CUPS

- Clearly printed content.
- 5 different mixing ratios.
- Available in 4 volumes: 400cc, 650cc, 1300cc and 2240cc.
- •Stack supports for easy seperation.
- Fitted lids that close even better.









LED WORK LIGHT

Bulb: COB LED (2W)+1PCS SMD LED (1W)
Battery: 3.7V 750mah (14500) Li-ion Battery
Function: Cob high - cob low-smd on-off
Max output: 110 lm (COB), 60 lm (SMD LED)
Run time: 2 hours (COB), 3.5 hours (SMD LED)

Charging time: 2 hours Beam distance: 13 meters Product size: 152 x 30 x 21mm

Net Weight: 70g





Bulb: COB (20W)

Battery: 4 x 18650 Li-ion Battery **Function:** 100%-OFF-50%-OFF

Max output: 1300 lm (High), 650 lm (low) Run time: 3 hours (High), 6 hours (Low)

Beam distance: 60 meters

Water proof: IPX4

Product size: 194 x 79 x 166mm

Net Weight: 1238g

7 MATERIAL SYSTEM

SANDING MACHINES



Size: 150mmOrbit Option: 5mm

Vacuum Style: Central Vacuum

Max Speed: 12,000RPM
Air Consumption: 481 L/min

• Net Weight: 0.85kg

ORBITAL MACHINE **75MM**

Double action Orbital 2,5mm sander
1/4" air connection
Specialy for the Superfine sanding 75mm
Protection case

15pcs Superfine P1500 15pcs Superfine P2000 15pcs Superfine P3000 Backing Pad 75mm Interface Pad 75mm



ORBITAL SANDING MACHINES



AS7331

Mini Polisher **75mm**



AS27330

Diameter: 150mm Orbital: 5mm 15H







We ARE the abrasive revolution









